

ALVA

(3 Tipo B + 2 USB)

Plug-in socket Volta (3 Type B + 2 USB)



Instalación

1. Hacer un cajeado en la superficie de trabajo de 60 mm.
2. Confirmar que haya suficiente espacio debajo de la superficie para ocultar la unidad cuando esté en posición cerrada.
3. Retire el anillo de bloqueo girandolo en el sentido contrario a las agujas del reloj.
4. Introduzca el enchufe en el orificio.
5. Coloque el anillo de bloqueo girandolo en el sentido de las agujas del reloj para apretarlo.
6. Conecte el enchufe a la fuente de alimentación utilizando el enchufe pre-cableado.

Operación

1. Para usar el enchufe presione la tapa y se abrirá el sistema verticalmente.
2. El enchufe ahora está listo para su uso.
3. Cierre la unidad presionando suavemente la tapa para desenganchar el mecanismo de bloqueo.

Mantenimiento y cuidado

1. Siempre desconecte la alimentación antes de limpiarla.
2. Limpie periódicamente con un paño suave.
3. No utilice productos de limpieza químicos fuertes ya que puede dañar el acabado.

ATENCIÓN

Asegúrese de que al utilizar la fuente de alimentación USB no utilice dispositivos que excedan el amperaje indicado.

Installation

1. Cut out a 60 mm diameter hole in work surface.
2. Ensure there is sufficient space under the surface for the unit when it is in the closed position.
3. Remove the locking ring from the collar by rotating it an anti-clockwise direction.
4. Insert socket into the hole.
5. Place the locking ring onto the collar and rotate clockwise to tighten against the underside of the work surface.
6. Connect the socket to power supply using the pre-wired UK plug.

Operation


1. To use the socket press the lid and it will pop up allowing you to gently pull up the unit it engages into position.
2. The socket is now ready for use.
3. Close the unit by gently pushing on lid to disengage the locking mechanism.

Maintenance & Care

1. Always disconnect the power prior to cleaning.
2. Periodically wipe over with soft cloth.
3. Do not use harsh chemical cleaning products as it may damage the finish.

ATTENTION

Please ensure when using the USB power supply do not use devices that exceed the stated amperage.



USB: 2,4 A 5V
SOCKET: 15 A 125 V 1875 W WITH 1,8 M 14# US POWER CORD

kautat.com

ALVA

(3 Tipo B + 2 USB)

Plug-in socket Volta (3 Type B + 2 USB)



ETL Certificate US



AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:

Manufacturer:

Address:

Address:

Country: China

Country: China

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: Intertek Testing Services Shanghai Limited

Control Number: 5013860 **Authorized by:** 
for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Furniture Power Distribution Units [UL 962A:2018 Ed.5+R:01Sep2020]
Product:	Cord reels and multi-outlet assemblies [CSA C22.2#308:2018 Ed.2]
Brand Name:	



AUTHORIZATION TO MARK

A; maybe followed by one character; maybe followed by w or s; maybe followed by A or B or N; followed by 1050; followed by one number; followed by one or two character; maybe followed by -2UC or -2AC; maybe followed by 1H; maybe followed by 1R or 2R.

A; maybe followed by one character; maybe followed by w; maybe followed by A or B; followed by 41; followed by two digital number; followed by one or two character; maybe followed by -2UC or -2AC.

Models:

A; maybe followed by one character; maybe followed by w; maybe followed by A or B; followed by 44; followed by two digital number; followed by one or two character; maybe followed by -2UC or -2AC; maybe followed by one digital number.

A; maybe followed by one character; maybe followed by w; maybe followed by A or B; followed by 47; followed by two digital number; maybe followed by one one or two character; maybe followed by -2UC or -2AC; maybe followed by one digital number.

ATM for Report 190102023SHA-001

Page 2 of 2

ATM Issued: 16-Dec-2021
ED 16.3.15 (16-Oct-2021) Mandatory

ATM for Report 190102023SHA-001

Page 1 of 2

ATM Issued: 16-Dec-2021
ED 16.3.15 (16-Oct-2021) Mandatory

USB: 2,4 A 5V
SOCKET: 15 A 125 V 1875 W WITH 1,8 M 14# US POWER CORD

kautat.com