VOLTA

(3 Shucko + 2 USB)

Plug-in socket Volta (3 Schuko + 2 USB)



0

Instalación

- 1. Hacer un cajeado en la superficie de trabajo de 60 mm.
- 2. Confirmar que haya suficiente espacio debajo de la superficie para ocultar la unidad cuando esté en posición cerrada.
- 3. Retire el anillo de bloqueo girandolo en el sentido contrario a las agujas del reloj.
- 4. Introduzca el enchufe en el orificio.
- 5. Coloque el anillo de bloqueo girandolo en el sentido de las agujas del reloj para apretarlo.
- 6. Conecte el enchufe a la fuente de alimentación utilizando el enchufe pre-cableado.

Operación

- 1. Para usar el enchufe presione la tapa y se abrirá el sistema verticalmente.
- 2. El enchufe ahora está listo para su uso.
- 3. Cierre la unidad presionando suavemente la tapa para desenganchar el mecanismo de bloqueo.

Mantenimiento y cuidado

- 1. Siempre desconecte la alimentación antes de limpiarla.
- 2. Limpie periodicamente con un paño suave.
- 3. No utilice productos de limpieza químicos fuertes ya que puede dañar el acabado.

67

54

55

60

ATENCIÓN

Asegúrese de que al utilizar la fuente de alimentación USB no utilice dispositivos que excedan el amperaje indicado.

Installation

- 1. Cut out a 60 mm diameter hole in work surface.
- 2. Ensure there is sufficient space under the surface for the unit when it is in the closed position.
- 3. Remove the locking ring from the collar by rotating it an anti-clockwise direction.
- 4. Insert socket into the hole.
- 5. Place the locking ring onto the collar and rotate clockwise to tighten against the underside of the work surface.
- 6. Connect the socket to power supply using the pre-wired UK plug.

Operation

- 1. To use the socket press the lid and it will pop up allowing you to gently pull up the unit it engages into position.
- 2. The socket is now ready for use.
- 3. Close the unit by gently pushing on lid to disengage the locking mechanism.

Maintenance & Care

- 1. Always disconnect the power prior to cleaning.
- 2. Periodically wipe over with soft cloth.
- 3. Do not use harsh chemical cleaning products as it may damage the finish.

ATTENTION

Please ensure when using the USB power supply do not use devices that exceed the stated amperage.

VOLTA

(3 Shucko + 2 USB)

Plug-in socket Volta (3 Schuko + 2 USB)



CE Certificate EU



CTS (NINGBO) TESTING SERVICE TECHNOLOGY OPERATE ACCORDING TO ISO/IEC 17025

EC DECLARATION OF CONFORMITY

EU - ELECTROMAGNETIC COMPATIBILITY DIRECTIVE -This declares that the following designated product

Desktop socket Model No.: K-BN1203SU2 Brand Name:

(Product identification)

Complies with the essential protection requirements of the European Parliament and of the Council Directive 2004/108/EC on the approximation of the laws of the Member States relating to electromagnetic compatibility.

This declaration applies to all specimens manufactured in accordance with the attached manufacturing drawings which form part of this declaration. Assessment of compliance of the product with the requirements relating to electromagnetic compatibility was based on the following standards:

> EN 61000-6-3: 2007+A1:2011+AC:2012 EN 61000-3-2: 2006 +A2:2009, EN 61000-3-3: 2013 EN 61000-6-1: 2007

(Identification of regulations / standards) This declaration is the responsibility of the Applicant / importer



MANUFACTURER / IMPORTER

TEST LABORATORY

This is the result of test, that was carried out from the submitted type-samples of a product in conformity with the specification of the respective standards. The declaration holder has the right to fix the CE-mark for EMC on the product complying with the inspection sample

DECLARATION OF CONFORMITY

(Surname, forename)



COTION Stating Service Technology Co., Ltd.
NB lest site:2/F., South Tower, Huoju Buliding, No.181, Canghai Road, Jiangdong Science and Technology Park, Ningbo, Zhejiang,China
GZ test site: A101, No.65, Zhuji Road, Tianhe District,
Guangzhou, Guangdong, China

The Following Number model(s): K-BN1202S, K-GN1203S, K-FN1203S, K- GN1203SU2,

K-AN1203S, K-BN1203SU2, K-FN1203SU2. K- AN1203SU2, K-BN1803S. K-FN1803S, K-GN1803S, K-GN1803SU2. K-FN1803SU2. K-BN1404S. K-GN1404S. K-BN1404SR2. K-DMS-008, K-DMS-601,

K-GN1404SR2, K-DMS-622, K-GN10503S K-GN10503SU2

K-BN1803SU2,

K-BN10503S.OVER.

MANUFACTURER / IMPORTER

TEST LABORATORY

This is the result of test, that was carried out from the submitted type-samples of a product in conformity with the specification of the respective standards. The declaration holder has the right to fix the CE-mark for EMC on the product complying with the inspection sample

(Date)

(Surname, forename)



Company stamp)
CTS (Ningb) Testing Service Technology Co., Ltd.
NB test site:2/F., South Tower, Huoju Building, No.181, Canghai
Road, Jiangdong Science and Technology Park, Ningbo,
Zhejaing,China
GZ test site: A101, No.65, Zhuji Road, Tianhe District,
Guangzhou, Giangdong, Chilia