

Test Report Date: Jun.19, 2018 Page 1 of 3

The following sample(s) was / were submitted and identified on behalf of the client as:

Sample Description :
Buyer Item No. :
Manufacturer :

Country of Origin : CHINA

Sample Receiving Date : Jun.05, 2018

Test Performing Date : Jun.05, 2018 to Jun.19, 2018

**Test Result Summary** 

, , , , , , , , , , , , , , , , , , , ,	
Test(s) Requested	Result(s)
Slide durability test with reference to clause 6.3.8	PASS
Summary:	
<ol> <li>For further details, please refer to the following page(s).</li> </ol>	

Signed for and on behalf of

Shunde Branch SGS-CSTC Co., Ltd.

Hary Nie

Approved signatory





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

|Fi\_fi\_blidingEuropean Industria| Parti\_Mol.15 Manha South (Delarg Town,5 Manha South (Delarg Town,5



Test Report Date: Jun.19, 2018 Page 2 of 3

## **TESTS AND RESULTS**

### Test Conducted:

Slide durability test with reference to clause 6.3.8

#### General Test Condition:

The following test program was conducted in a laboratory environment maintained at  $15^{\circ}$  to  $25^{\circ}$  and  $50^{\circ}\pm5^{\circ}$  RH. The sample was individually tested after conditioning in the test environment for at least 24 hours prior to conducting the test.

The complete detailed procedures may be found in the referenced specification and are only summarized herein. Unless otherwise specified, the tests are carried out in the following order the same sample.

# No. of Sample:

1 Pair (Sample 1). For more sample information and pictures, please refer to the following page.

Test and Requirements	Test Results
6.3.8 Durability test  Open and close the extension element gently and without supporting the front for 100,000 cycles specified by applicant.  Open from the fully closed position to the point at which one-third of the inside length (depth) of the extension element, or at least 100 mm, remains inside the test frame. For extension elements, which are equipped with any sort of built-in stop in the open position, fully open the extension element without forcing the stop. If the extension element has a damper and/or a catch device, including a self opening or a self closing mechanism, this shall be allowed to operate at each cycle. Open and close the extension element via the force application point at a rate of 4 to 15 cycles per minute. The extension element shall fulfil its function and When the loading capacity is less than 40 kg, the opening and closing forces determined shall not exceed 50 N, When the loading capacity is not less than 40 kg, the opening and closing forces determined shall not exceed 12,5 % of the loading capacity.	PASS

## Remark:

- 1. The total load 35 kg and cyclic number 100,000 were specified by client;
- The dimension of testing drawer is 530 mm(W) by 510 mm(L) by 87 mm(H);
- 3. For the sample information and pictures, please refer to the following page.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

IF, <sup>(1</sup>Buiding Enzyean Industrial Part Vo.1 Stunte South Roof, Datary Town, Stunte, South Roof, Datary Town, Stunte, South Roof, Datary Town, Stunte, South Roof, Datary Town, Datary Tow



Test Report Date: Jun.19, 2018 Page 3 of 3

# SAMPLE INFORMATION AND PICTURES


Weight: 1065 g / piece


Length: 495 mm


Other Dimensions: /

### Sample as Received









\*\*\*End of Report\*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the full litest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443. or email: CN.Doccheck@ass.com

|Fi\_fi\_blidingEuropean Industrial Parti/bol 1 Studies South Read/Martial Parti/bol 1 Studies South Read/Martial Partial Part